InstaShow®
WDC15

Driver-Free 4K UHD
Wireless Presentation System

Designed for huddle and small meeting rooms, WDC15 enables instant plug-and-play wireless presentations—no apps, drivers, or network setup required. Presenters—even guests—can access professional-grade presentations with a tap.

No App Download Required
No software or app required—just plug in and instantly share content during your meeting.

No Driver Needed
No drivers needed—just plug in and share your screen instantly during meetings.
*Supports Windows, macOS, Linux, or ChromeOS systems.

No Network Setup Required
No complex network setup or IT help needed. Receiver and button pair automatically—just plug and play to start presenting instantly.

BenQ

InstaShow Receiver

Power Supply	2A, DC 5V±10%
Normal Power Consumption	10W
LAN (RJ45)	(x1)
HDMI Out	(x1)
Dimensions without Antenna	110x110x29 mm
Weight	205 g

InstaShow Button

Connector Type	USB Type-C (Default)**
Function Key	Mode Key

**Switchable between Type-C and HDMI.

InstaShow Cradle

Dimensions	84.5x62.5x128 mm
Weight	568 g

InstaShow Package

Receiver	(x1)
Button	(x1)
Cradle	(x1)
Power Adapter	(x1)
Antenna	(x2), 2dbi, MIMO
HDMI Cable**	(x1)
Safety Statement	(x1)

InstaShow Features

Video Outputs	HDMI 1.4 (with HDCP)
Maximum Output Resolution (Receiver)	Up to 4K 30Hz
WiFi Standard	5
Wireless Frequency	5G
Wireless Data Rate (Maximum)	AC1200 (5G 867 Mbps)
Simultaneous Connections	16
WiFi Protected Access	WPA3
Advanced Encryption Standard	AES128
Transmission Distance	15 m
Screen Customisation	Yes (incl. Logo, Guide Screen, Idle Screen, Screen Message, and Room Name)

Part Number: 9H.K0EBY.E0E
EAN: 471 8755 09641 9

3 Steps for One-Time Wireless Presentation Setup

Set up once—no need to rebuild for every meeting.

Steps:

1. Connect display to Receiver via HDMI cable

2. Plug Button into presenter's laptop

   ***Supports Windows, MacBook, or Chromebook systems.

3. Share content from presenter's laptop via Button

Direct Touch Control on Display
Control content right from the interactive display—no interruptions, just smooth and natural interaction.

BenQ

● Button

70mm

70mm

2

3

24.5mm

196.5mm

● Receiver

4

5

110mm

6

110mm

29mm

7 **8** **9** **10**

TOUCH SCREEN   WAN/LAN   HDMI

1. Present Key
2. USB-C Connector
3. Mode Key

4. Reset Button
5. Paring Key
6. Standby On/Off

7. USB for Touchback
8. RJ45
9. HDMI Out
10. USB C Power Port

benq.eu/en-eu/business/wireless-presentation/
instashow-wireless-collaboration.html

Europe

BenQ Europe B.V.

Meerenakkerweg 1-17, 5652 AR

Eindhoven, The Netherlands

Tel: +31-88-888-9200

Asia Pacific

China

Europe

North America

Latin and Central America

BenQ